

# INDEX MAPS.

## T.13N R.7W 2<sup>nd</sup> Mer.

	256		256		255-257		255-257		255-257		255-257		255-257
259	6	279	5	274	4	270	3	267	2	263	1	255	
	279		279		274		270		266		263		
259	7	278	8	273	9	270	10	266	11	262	12	254	
	278		278		273		269		266		262		
256	18	277	17	273	16	269	15	265	14	262	13	254	
	277		277		272		269		265		261		
258	19	276	20	272	21	268	22	265	23	261	24	254	
	276		276		272		268		264		260		
258	30	275	29	272	28	268	27	264	26	260	25	254	
	275		275		271		267		264		260		
258	31	274	32	271	33	267	34	263	35	260	36	253	
	252		251-252		251-252		251-253		251-253		251-253		

## T.14N R.7W 2<sup>nd</sup> Mer.

	286	286-287	286-287	286-287	285-288	285-288						
290	6	313	5	308	4	303	3	298	2	294	1	285
	312		312		308		302		298		294	
289	7	311	8	306	9	302	10	298	11	293	12	285
	312		311		306		302		297		293	
289	18	310	17	305	16	301	15	297	14	293	13	284
	310		310		305		300		297		292	
289	19	309	20	304	21	300	22	296	23	292	24	284
	309		309		304		300		296		291	
288	30	308	29	304	28	299	27	295	26	291	25	284
	308		308		303		299		295		290	
288	31	308	32	303	33	299	34	295	35	290	36	283
	281-282		281-282		281-282		281-282		281-283		281-283	

The figures on the lines refer to the page.

Township N. 14. North of Range N. 7 West 2<sup>nd</sup> Mer. Ind.  
ch. lks.

### South Boundary

West Oak Random line On the South Boundary of sec. 36.  
T. 14. N. R. 7 W.

35.00 To a Brook 15 miles mid, Corner W.

40.00 Set a temp. 7<sup>th</sup> sup. post.

62.00 To a Brook 50 miles mid, Corner S.

80.00 Set a temp. 7<sup>th</sup> post for the cor. of sec. 35 & 36.

Land mostly. Timber Oak, Birch, Hickory &c.

West Oak Random line On the South Boundary of sec. 35.  
T. 14. N. R. 7 W.

40.00 Set a temp. 7<sup>th</sup> sup. post.

80.00 " " post for the cor. of sec. 34 & 35.  
Land same.

West Oak Random line On the South Boundary of sec. 34.  
T. 14. N. R. 7 W.

40.00 Set a temp. 7<sup>th</sup> sup. post.

80.00 Set a " post for the cor. of sec. 33 & 34.  
Land level and mid; Timber Birch Oak & Gum &c.

West Oak Random line On the South Boundary of sec. 33.

0.50 To a Brook 15 lks mid, Corner S. W.

40.00 Set a temp. 7<sup>th</sup> sup. post.

80.00 Set a temp. 7<sup>th</sup> post for the cor. of sec. 32 & 33.  
Land same as last mile.

West Oak Random line On the South Boundary of sec. 32.  
T. 14. N. R. 7 W.

15.00 To a Brook 8 miles mid, Corner S. W.

40.00 Set a temp. 7<sup>th</sup> sup. post.

80.00 Set a post for the cor. of sec. 31 & 32. Timber  
Land level Timber Oak Spruce &c.

West Oak Random line On the South Boundary of sec. 31.  
T. 14. N. R. 7 W.



T. N. 14. N. R. N. 7 W 2<sup>nd</sup> M. S. 1<sup>st</sup>

40.00 Set a temp. 1/4 east.

80.00 Set a post for the cor of T. 13 & 14. N. R. 6 & 7 W  
Locate P. rate Smt. Walnut, Sugar & Hackberry  
Mr Harris has not brought in his line yet. I there-  
fore mark my line. EastEast On the new line On the South Boundary of sec. 31.  
T. 14. N. R. 7 W.40.00 Set the temp. 1/4 east on the new line from which  
Log run 4 in air. trees. S 50 E. 44 links met. by  
Lo. 4 " " N 34 E. 30 "80.00 Set the temp. post on the new line for the cor of sec. 31 & 32  
from which, W Oak. 26 in air. trees. S 72 W. 28 links met.  
under a Elm. 5 " " N 12 E. 8 "East On the new line On the South Boundary of sec. 32  
T. 14. N. R. 7 W.40.00 Set the temp. 1/4 east on the new line from which  
Oak. 14 in air. trees. S 80 E. 14 links met. by  
W Oak. 24 " " N 30 E. 39 "80.00 Set the temp. post on the new line for the cor of sec. 32 & 33  
from which, W Oak. 30 in air. trees. N 44 E. 31 links met.  
under a Sugar. 12 " " S 49 E. 17 "East On the new line On the South Boundary of sec. 33  
T. 14. N. R. 7 W.40.00 Set a 1/4 east post for the new line from which  
W Oak. 26 in air. trees. N 20 E. 50 links met. by  
Oak. 16 " " S 25 E. 14 "80.00 Set a post temp. on the new line for the cor of sec. 33 & 34  
from which, Oak. 4 in air. trees. S 65 W. 8 links met.  
under a Co. 14 " " N 13 E. 4 1/2 "East On the new line On the South Boundary of sec. 34  
T. N. 14. N. R. N. 7 W

40.00 Set the temp. 1/4 east at the new line from which

## T. N. 14. N. R. N. of W. 2nd Mer. Sec.

	Beck. 15 in air: trees. N 78 E. 11 links north: 72, Do. 18 " " " N 71 W 24 " "
80.00	Set the temp. post on the true line for the cor of Sec. 34 & 35. from which a W Oak. 36 in air: trees. S 85 W 42 the north under Beck. 16 " " " N 83 E. 49 " "
East	On the true line On the South Bound. of Sec. 35. T. 14. N. R. of W.
40.00	Set the temp. post on the true line from which, Beck. 12 in air: trees. S 52 E. 11 links north: 72, Do. 12 " " " N 18 W. 29 " "
80.00	Set a post temp. post on the true line from which) S 57 E. Beck. 12 in air: trees. S 57 E. 19 links north: 72, Inwood 4 " " " N 17 W. 23 " "
East	On the true line On the South Bound. of Sec. 36 T. 14. N. R. of W.
40.00	Set a temp. post on the true line from which, W Oak. 18 in air: trees. N 54 E. 33 links north: 72, Beck. 14 " " " S 70 W 16 " "
80.00	To the post cor of S. 13. & 14. N. R. 60 W.
East Boundary	
North	On the East Bound. of Sec. 36. T. 14. N. R. 60 W.
40.00	Set a post on the true line from which, Beck. 11 in air: trees. N 63 E. 20 links north: 72, W Oak. 14 " " " S 63 W. 7 " "
54.00	To a post 10 links north, corner S. W.
77.34	Set a post on the Old Indian Bound. of Sec. 36. from which, Sugm. 13 in air: trees. S 60 W 5 links north: 72, Do. 5 " " " N 60 E. 10 " "
May 9 <sup>th</sup> 1811. Surveyed by Alexander Holmes Esq.	
North	On the East Bound. of Sec. 36. T. 14. N. R. 7 W
2.66.	Set a post for the cor of Sec. 28 & 36. from which,

T. N. 14. N. R. N. 7 W 2<sup>nd</sup> Mo. Ind.

Beck 9 in dia. bins. 66 W. 7 units mch. 7<sup>th</sup>  
 Sugar. 12 " " N 17 E. 12 " "

North On the East Bound of sec. 25 T. 14. N. R. 7 W.  
 5.00 To a Brook 30 units mch. corner W.  
 10.00 " " Do. 3 " " " S. W.  
 21.00 " " Do. 4 " " " " S. W.  
 40.00 Set a 1/2 sapest from which  
 Sugar. 9 in dia. bins. 97 E. 7 units mch. 7<sup>th</sup>  
 Beck. 10 " " " N 27 W. 11 " "  
 80.00 Set a post for the cor of sec. 24 & 25 from which  
 Sugar. 12 in dia. bins. 57 E. 18 units mch. 7<sup>th</sup>  
 Beck 8 " " " N 1 E. 17 " "  
 Lumber broken and 2<sup>nd</sup> rate; Timber Black, Sugar,  
 Poplar & Hickory.

North On the East Bound of sec. 24. T. 14. N. R. 7 W.  
 9.00 To a Brook 10 units mch. corner W.  
 40.00 Set a 1/2 sapest from which  
 W. Oak. 12 in dia. bins. 59 E. 53 units mch. 7<sup>th</sup>  
 Beck. 9 " " " N 7 E. 18 " "  
 80.00 Set a post for the cor of sec. 13 & 24 from which  
 Beck 9 in dia. bins. N 16 W. 25 units mch. 7<sup>th</sup>  
 Oak 5 " " " S 4 E. 25 " "  
 Lumber part rolling and broken 2<sup>nd</sup> rate. Timber same  
 Lumber including good for farming.

North On the East Bound of sec. 13 T. 14. N. R. 7 W.  
 21.00 To a spring corner N. W.  
 40.00 Set a 1/2 sapest from which  
 Sugar. 10 in dia. bins. 60 W. 9 units mch. 7<sup>th</sup>  
 Do. 12 " " " N 52 E. 7 " "  
 58.00 To a Brook 150 units mch. corner W.  
 80.00 Set a post for the cor of sec. 12 & 13 from which  
 Sugar. 9 in dia. bins. 51 W. 22 units mch. 7<sup>th</sup>  
 Blackberry 8 " " " N 53 E. 22 " "



T. N. 14. N. R. N. 7<sup>th</sup> 2<sup>nd</sup> (Mrs. Linn.)

South  $\frac{1}{4}$  of this mile lands similar to last mtd; North  $\frac{1}{4}$  break bottom very rich.

North	On the East Boundary of sec. 10 T. 14. N. R. 7 <sup>th</sup> .
40.00	Set a $\frac{1}{4}$ a post from whitts,
	Sugar. 12 in diam. trees. N 59 <sup>th</sup> W. 10 links north. & a
	Do. 9 <sup>th</sup> " " N 75 <sup>th</sup> E. 11 <sup>th</sup> "
80.00	Set a post for the cor of sec. 11 <sup>th</sup> 12 <sup>th</sup> from whitts,
	Beck. 8 in diam. trees. N 67 <sup>th</sup> W. 18 links north. & a
	" Oak. 24 <sup>th</sup> " " N 33 <sup>th</sup> E. 19 <sup>th</sup> "
	Land, South $\frac{1}{4}$ N. 1 <sup>st</sup> rate bottom. North $\frac{1}{4}$ broken.

North	On the East Boundary of sec. 1. T. 14. N. R. 7 <sup>th</sup> .
35.00	Is a Brook. 8 links wide, comes S. W.
40.00	Set a $\frac{1}{4}$ a post from whitts,
	Elm 8 in diam. trees. S 39 <sup>th</sup> E. - links north & a
	Sugar. 12 <sup>th</sup> " " S 85 <sup>th</sup> E. 34 <sup>th</sup> "
84.90	Is the post cor of T. 14 & 15. N. R. 6 <sup>th</sup> & 7 <sup>th</sup> .

### North Boundary

West	On a Random line On the South Boundary of sec. 36. T. 15 N. R. 7 <sup>th</sup> .
19.00	Is a Brook. 6 links wide, comes S.
40.00	" " Do. 6 <sup>th</sup> " " " "
40.00	Set a stump $\frac{1}{4}$ a post.
70.00	Is a Brook 20 links wide, comes S.
80.00	Set a stump post for the cor of sec. 35 & 36.
	Land some what broken and is 2 <sup>nd</sup> rate. Timber Oak, Sugar, Birch & Poplar.

West	On a Random line On the South Boundary of sec. 35. T. 15 N. R. 7 <sup>th</sup> .
40.00	Is a Brook 20 links wide, comes S.
40.00	Set a stump $\frac{1}{4}$ a post.
80.00	Set a stump post for the cor of sec. 34 & 35.
	Land East $\frac{1}{4}$ rolling or broken Timber same.





10.00 To a Brook 20 miles mid., corner S.E.  
 42.70 Set the temp. post on the line from which  
 Brook 9 in air. temp. 43 E. 26 miles mid., S.E.  
 Ho. 12, " " N 21 W 38 " "  
 82.70 Set the temp. post on the line for the cor. of la. 31 & 32  
 from which Brook 30 in air. temp. 47 E. 5 miles mid.;  
 under Ho. 30, " " N 84 W 17 " "

East On the line between la. 31 & 32 On the South Boundary  
 of la. 32, T. 15 N. R. 77.

40.00 Set the temp. post on the line from which  
 Brook 14 in air. temp. 86 W. 45 miles mid.; S.E.  
 N 74 W 4, " " N 76 E. 45 " "

56.00 To a Brook 100 miles mid., corner S.

80.00 Set the temp. post on the line for the cor. of la. 32 & 33.  
 from which N 77 W 4 in air. temp. 77 W 4 the mid.  
 under Brookage 9, " " N 70 E. 24, " "

East On the line On the South Boundary of la. 33.  
 T. 15 N. R. 77.

20.00 To a spring branch corner N.W.

40.00 Set the temp. post on the line from which  
 Brook 30 in air. temp. 33 W. 14 miles mid.; S.E.  
 N 29, " " N 76 W 16 " "

65.00 To a Brook 15 miles mid., corner N.W.

80.00 Set the temp. post on the line for the cor. of la. 33 & 34  
 from which Brook 30 in air. temp. 84 W. 11 miles mid.;  
 under Engon. 12, " " N 78 E. 36, " "

East On a line On the South Boundary of la. 34  
 T. 15 N. R. 77.

20.00 To a Brook 15 miles mid., corner S.W.

40.00 Set a temp. post on the line from which  
 Engon 9 in air. temp. 50 W. 30 miles mid.; S.E.  
 under 8, " " N 4 E 38 " "

80.00 Set the temp. post on the line for the cor. of la. 34 & 35.

T. 14. N. R. 7 N. 2<sup>nd</sup>. (Mn. Ind. 9.

from which, Peak 9 in air: hms. S 59 N. 41 the north  
 and a Sugar 14 " " N 74 E. 20 " "

East On the line On the South Boundary of sec. 35.  
 T. 15. N. R. 7 N.

40.00 Set a temp. 7<sup>th</sup> suspect on the line from which  
 Peak 9 in air: hms. S 41 N. 49 for the crop 7<sup>th</sup> " " " " " "  
 Sugar 9 " " hms. N 34 W. 14 links north;

68.00 To a Brook 20 links north, corner S.

80.00 Set the temp. 7<sup>th</sup> post on the line from which  
 Peak 10 in air: hms. S 76 N. 14 links north; the  
 No. 9 " " " " S 69 E. 12 " "

East On the line On the South Boundary of sec. 36.  
 T. 15. N. R. 7 N.

20.00 To a Brook 15 links north, corner S. 4<sup>th</sup>

40.00 Set a temp. 7<sup>th</sup> suspect on the line from which  
 Sugar 9 in air: hms. S 28 E. 20 links north; the  
 Peak 24 " " " " S 72 W. 11 " "

80.00 Set a post for the corner 14 & 15 N. R. S. 6 & 7 W.  
 4.92 links North of the Temp. Township Cor. from  
 which, Peak 18 in air: hms. S 47 N. 36 links north; the  
 and a No. 8 " " " " N 2 E. 25 " "

## West Boundary

North On the East Boundary of sec. 36. T. 14. N. R. 8 W.

40.00 Set a 7<sup>th</sup> suspect from which  
 Peak 10 in air: hms. N 7 E. 10 links north; the  
 No. 18 " " " " S 37 E. 24 " "

80.00 Set a post for the corner 25 & 36. From which  
 Peak 5 in air: hms. S 60 W. 13 links north; the  
 bottom road 36 " " " " N 14 E. 12 " "  
 To a Pt. near bottom

North On the East Boundary of sec. 25 T. 14. N. R. 8 W.

8.00 To a Brook 150 links north, corner S. 7<sup>th</sup>.

T. N. 14. R. N. 7. W. Q. 1. (Mm. Ind.)

40.00 Set a 7/8 sapest from white,  
Beck 12 in air. line North 7 links each; 72  
Lo 9, " " " 338 E 28 " "  
80.00 Set a post for the cor of sec. 24 & 25. from white,  
Beck 27 in air. line N 15 W 30 links each; 72  
Lo 18 " " " South 16 " "  
Lands hilly and broken; good soil and muddling  
good farming land.

North On the East Boundary of sec. 24. T. 14. R. 8. W.  
33.00 To a Brook 10 links wide, corner S. W.  
40.00 Set a 7/8 sapest from white,  
Sugar. 6 in air. line N 60 W 13 links each; 72  
Beck 12 " " " N 57 E 30 " "  
80.00 Set a post for the cor of sec. 13 & 24 from white,  
Heider 12 in air. line N 60 W 3 links each; 72  
Wash 15 " " " N 6 E 36 " "  
Lands a little rolling and good for farming. Includes  
Beck, Sugar & Heider

North On the East Boundary of sec. 13. T. 14. R. 7. W.  
33.00 To a Brook 10 links wide corner S. W.  
40.00 Set a 7/8 sapest from white,  
Sugar. 6 in air. line S 77 W 7 links each; 72  
Eym. 20 " " " N 69 E 15 " "  
80.00 Set a post for the cor of sec. 12 & 13 from white,  
Beck. 6 in air. line S 62 W 11 links each; 72  
Lo. 18 " " " N 56 E 15 " "  
Lands some.

North On the East Boundary of sec. 12. T. 14. R. 5. W.  
40.00 Set a 7/8 sapest from white,  
Buckeye 12 in air. line N 76 E 2 links each; 72  
Eym. 8 " " " S 77 W 28 " "  
44.50 To a Creek 40 links wide, corner S. W.  
80.00 Set a post for the cor of sec. 1 & 12 from white,



T. N. 14. N. R. N. 7 W 2<sup>nd</sup> Mer. Ind.

Beck 19 in dia: beam. N 76 E. 15 links each; 72  
 10 " " " S 26 W. 28 " "  
 Land level and good for farming. Timber Beck,  
 Engon. 85.

- North On the East Boundary of T. 14. N. R. 7 W  
 28.47 Set out the Old Division Point N. 1 and set apart for  
 the en of 1st Sec. 1 & 6 from white  
 Beck 6 in dia: beam. N 57 W. 4 links each; 72  
 Neap 18 " " S 60 E 5 " "  
 Land level and 2<sup>nd</sup> rate. Timber Beck 13 set & Neap  
 North On the East Boundary of T. 14. N. R. 7 W.  
 11.53 Set the 7<sup>th</sup> apart from white  
 Neap 14 in dia: beam. N 39 W. 10 links each; 72  
 13 Oct. 14 " " S 22 E. 31 " "  
 42.03 To Perimeter line.  
 52.75 Set apart for the en of S. 14 & 15 N. R. 7 & 8 W from white  
 11 1/2 links 8 in dia: beam. South 8 the each; 72  
 20. 7 " " N 13 W. 13 " "

## Subdivisions

- North Between Sec 35 & 36 T. 14. N. R. 7 W.  
 40.00 Set apart from white  
 11 Oak 8 in dia: beam. N 3 E 14 links each; 72  
 Neap 3 " " S 21 W. 19 " "  
 80.00 Set apart for the en of sec. 25, 26, 35 & 36 from white  
 Poplar 18 in dia: beam. N 32 E. 12 links each; 72  
 Neap 6 " " S 4 E. 22 " "  
 Land South 7 broken North 7 level Timber Oak, Beck  
 Poplar 85 Not very good for farming

- East Between Sec 25 & 36 T. 14. N. R. 7 W.  
 40.00 Set apart from white  
 Poplar 27 in dia: beam. S 74 W. 12 links each; 72  
 Engon. 14 " " N 63 E. 22 " "  
 55.00 To alternate 20 links each, corner NW.

## J. N. 14 N.R. N. 7 N. 2nd Mer. Ind.

74.01	Enter east the Indian Boundary line and set a post for the cutoff at 25 T 36. from which Saggs 12 in dist. from 927 E. 23 units each; Va. Back 7; " " 159 E. 21 " " Sound similar
North 4.94	Return Cut 25 T 36. J. 14 N.R. 7 N. Enter east the East Boundary 94 units north of the post on off Cut 25 T 36. made set a post from which Back 18 in dist. from 147 N. 23 units each; Va. Lo. 9; " " 144 E. 23; "
North 40.00	Return Cut 25 T 26. J. 14 N.R. 7 N. Set a post for post from which Back 15 in dist. from 957 N. 14 units each; Va. Lo. 12; " " 141 E. 29; "
53.86	Enter east the Indian Boundary and set a post for the end of Cut 25 T 26 from which Elev. 10 in dist. from 936 E. 13 units each; Va. Saggs 14; " " 927 N. 12; " Sound good and good for farming.
North 13.70	Return Cut 25 T 26. J. 14 N.R. 7 N. from the old Boundary To a Red Oak 24 in dist. in the line.
26.14	Set a post for the end of Cut 23, 24, 25, T 26 from which Logwood 3 in dist. from 144 N. 10 units each; Va. Saggs 12; " " 950 N. 10; " Sound good and good for farming; Timber Poplar, Oak 15, 119 Spruce.
East 10.74	Return Cut 24 & 25 J. 14 N.R. 7 N. To a Brook 10 units each, corner N. N.
15.24	" " " Oak 18 in dist. in dist. in the line.
40.00	Set a post for post from which Back 6 in dist. from 167 N. 13 units each; Va. Lo. 15; " " 148 E. 19; "
52.65	To a Oak 18 in dist. in the line.
55.50	To a Brook 10 units each, corner J.



## T. N. 14. N. R. N. of W. 2nd Mer. Ind.

78.50 To a Brook. 15 links mid, corner S.E.  
 79.86 Intersect the East Boundary 321 links north of the post  
 on of cor. 24 & 25. and set a post for the cor. of cor. 24 & 25  
 at the intersection from which  
 Black— in clear trees. S 28° W. 14 links north, & a  
 W Oak— " " " N 21° E. 31 " "  
 Land good; Timber Sugar, Buck, Poplar &c.

North Return Cor. 23 & 24 T. 14. N. R. 7 W.  
 21.40 To a Sugar. 12 in clear in the line.  
 32.50 To a Brook. 8 links mid, corner N.W.  
 40.00 Set a post for the cor. from which  
 Hickory 12 in clear trees. S 12° W. 21 links north, & a  
 Logwood 4 " " " S 88° E. 8 " "  
 52.64 To a W Oak. 36 in clear in the line.  
 80.00 Set a post for the cor. of cor. 13, 14, 23 & 24 from which  
 W Oak. 10 in clear trees. S 75° E. 28 links north, & a  
 Hickory 18 " " " N 55° W. 27 " "  
 Land hilly on a slope Timber Hickory, W Oak, &c.  
 W Cedar &c.

East Return Cor. 13 & 24 T. 14. N. R. 7 W.  
 18.80 To a W Oak. 18 in clear in the line.  
 40.00 Set a post for the cor. from which  
 Spruce. 10 in clear trees. N 59° E. 7 links north, & a  
 Hickory 24 " " " S 67° W. 20 " "  
 53.70 To a spring 5 links mid, corner W.  
 59.50 " " Brook. 10 links mid, corner " "  
 61.31 " " W Oak. 15 in clear in the line.  
 80.10 Intersect the East Boundary 340 links north of the  
 post cor. of cor. 13 & 24 and set a post at the intersection  
 for the cor. of cor. 13 & 24 from which  
 Sugar. 10 in clear trees. N 17° E. 12 links north, & a  
 Buck 18 " " " S 70° E. 17 " "  
 Land R. 1/2 mile west 2nd Mer. Timber Sugar Buck  
 Oak &c.

## T. N. 14 N. R. No. 7 NW 2nd Mer. Ind.

North Return Dec 13 & 14 T. 14. N. R. 7 W.  
 14.56 To a Poplar. 36 in diam. in the line.  
 38.00 To a Racoon 200 lbs in line, corner S. W.  
 40.00 Set a trap line from which,  
 11 horn 5 in diam. horns. North of the creek: 7A,  
 Buckeye 6 " " " N 65 W. 29 "  
 The post stands in the West Bank of creek.  
 57.77 To a Hecker 15 in diam. in the line.  
 80.00 Set a post for the crop Dec. 11. 12. 13 & 14. From which a,  
 Hecker 8 in diam. horns. N 33 W. 13 lbs each: 7A,  
 Buck. 6 " " " 29 E. 25 " "  
 Land 100 mile hill and for 2nd mile road under rock.  
 Timber Hecker Buckeye Cherry & Buck. W. of Pawpaw.

East Return Dec 12 & 13 T. 14. N. R. 7 W.  
 17.50 To a 11 Oak. 36 in diam. in the line.  
 40.00 Set a trap line from which,  
 Cherry 10 in diam. horns. S 53 E. 27 lbs each: 7A,  
 Sugar. 6 " " " N 55 W. 41 "  
 51.94 To a Hecker 12 in diam. in the line.  
 79.90 Into lot the East Boundary 316 lbs North of the post on  
 of Dec. 12 & 13. and set a post at the intersection for the cor.  
 " " 12 & 13. from which,  
 Hecker 15 in diam. horns. N 33 E. 6 lbs each: 7A,  
 Buckeye 12 " " " S 32 W. 10 " "  
 Land 100 mile and good for farming; 1st rate; Timber  
 Buck. 11 Oak. Walnut. &c. W. of Spine.

North Return Dec 11 & 12 T. 14 N. R. 7 W.  
 13.31 To a Buckeye 18 in diam. in the line  
 40.00 Set a trap line from which,  
 Buck. 6 in diam. horns. S 20 W. 19 lbs each: 7A,  
 Sugar. 6 " " " N 59 E. 30 " "  
 51.50 To a Birch 50 lbs in line, corner S. W.  
 65.25 To a Poplar. 20 in diam. in the line.  
 80.00 Set a post for the cor. of Dec. 1. 2. 11. & 12 from which,

T. N. 14. N. R. N. 7 N 2<sup>nd</sup> Mer. Ind.

Beck. 12 in dia. beam. 264 W. 8 links each; 75.  
 Keely 8 " " " 273 E. 16 " "  
 Sand bed and creek. Timber Buckeye, Beech, &c.  
 W. Spruce & Pawpaw.

East Return Lw. 1470 T. 14. N. R. 7 W.  
 1.00 To a Brook. 8 links mid, Come S. W.  
 9.75 " " Do. 50 " " " S. W.  
 40.00 Set a 7<sup>th</sup> report from whike,  
 Beck. 8 in dia. beam. 269 E. 8 links each; 75.  
 Do. 12 " " " 257 W. 8 " "  
 55.00 To a W Oak. 30 in dia. in the line.  
 67.80 To a Brook. 6 links mid, Come S. W.  
 80.85 Enter cut the East Branch. 264 links North of the fork  
 on of sw. 1470 and set apart at the intersection for the  
 " " " 1470 from whike,  
 Sugar. 9 in dia. beam. 244 W. 2 links each; 75.  
 Sugar. 6 " " " 217 W. 21 " "  
 Sand hilly Timber Beech, W Oak, Sugar, &c. 117  
 Hornbeam. 75.

North Return Lw. 1470 T. 14. N. R. 7 W.  
 17.40 To a W Oak. 30 in dia. in the line.  
 21.75 " " Brook. 10 links mid, Come S. E.  
 27.60 " " Do. 25 " " " S. E.  
 34.50 " " Do. 20 " " " "  
 40.00 Set a 7<sup>th</sup> report from whike,  
 Sugar. 15 in dia. beam. 288 W. 5 links each; 75.  
 W Walnut. 12 " " " 288 E. 7 " "  
 40.50 To a Brook. 20 links mid, Come S. W.  
 57.81 To a W Oak. 18 in dia. in the line.  
 84.00 Enter cut the North Branch. 33 links East of the fork  
 on of sw. 35736. T. 15 N. R. 7 W. and set apart for  
 " " " 142 from whike,  
 W Oak. 18 in dia. beam. 231 E. 22 links each; 75.  
 Sugar. 5 " " " 235 W. 19 " "



295

T. N. 14. N. R. N. 7 W 2nd Mer. Ind.

Sept. 19. 1819. Land hills &c.

South Out to Ran am line between Sec 34 & 35 T. 14. N. R. 7 W.  
 40.00 Set a temp. 1/2 in east post.  
 70.00 To a Brook 10 links N. W., corner T. W.  
 79.59 Into cut the South Bound. 730 links West of the post on of  
 Sec. 34 & 35.  
 Land uneven or rolling; Timber Oak, Sugar, Beech,  
 Poplar, &c. Land good for farming.

North Out to Ran am line between Sec 34 & 35 T. 14. N. R. 7 W.  
 39.75 Set the temp. 1/2 in east post at the cut on the line  
 from which a North 1/2 in air. line. 39 E. 17 links N. W.  
 and a 730 links N. W. 19.  
 39.50 To the post on of sec. 26, 27, 34 & 35.

West Return Sec. 26 & 35. T. 14. N. R. 7 W.  
 40.00 Set a temp. 1/2 in east post from which a  
 730 links N. W. 17 in air. line. 40 W. 9 links N. W.; &c.  
 W. Oak. 10 " " " N 56 E. 11 " "  
 60.00 To a Brook 6 links N. W., corner T. W.  
 80.00 Set a post for the corner of sec. 26, 27, 34 & 35 from which a  
 W. Oak. 14 in air. line. 94 W. 25 links N. W.; &c.  
 Oak. 24 " " " N 37 W. 23 " "  
 Land level and 2nd rate; Timber Oak, Beech, Hickory  
 and Poplar. Moulding good for farming. Land.

North Return Sec. 26 & 27 T. 14. N. R. 7 W.  
 40.00 Set a temp. 1/2 in east post from which a  
 Log road 4 in air. line. N 82 E. 14 links N. W.; &c.  
 W. Oak. 6 " " " N 88 W. 8 " "  
 80.00 Set a post for the corner of sec. 22, 23, 26 & 27 from which a  
 Sugar. 12 in air. line. 110 E. 38 links N. W.; &c.  
 Poplar. 30 " " " N 33 W. 5 " "  
 Land level Timber Oak, Beech, Sugar & Hickory  
 Land level and moulding good for farming.

	Jan 1st 1816.	
East	Between Sec 23 & 26. T. 14. N. R. 7. W.	
2.00	To a Brook 8 links wide, corner N. W.	
40.00	Set a post from which	
	N Oak 30 in diam. bears S 83 N. 14 links east; & a	
	N 15 E. 23 " "	
44.54	Set a post at the Old Indian Burial Ground set a post for	
	the cor of sec. 23. 26. from which	
	N Oak 14 in diam. bears N 7 W. 38 links east; & a	
	S 30 " " " " S 7 E. 4 " "	
	Land similar to last note.	
West	On a Run am line between Sec. 23 & 26. T. 14. N. R. 7. W.	
36.14	Set a post at the Old Indian Bury at the post. cor of sec. 23 & 26.	
East	On the Run line between Sec. 23 & 26.	
	Made the necessary checks	
	Land level and good for farming Timber ash N Oak	
	under Hick 7 Birch & S. W. Spruce & Elm wood.	
North	Between Sec. 22 & 23. T. 14. N. R. 7. W.	
32.69	Set a post at the Indian Burial Ground made set a post for the	
	cor of sec. 22 & 23. from which	
	Sugar. 10 in diam. bears N 11 W. 8 links north; & a	
	N 19 " " " " S 30 E. 5 " "	
	Land muddling good for farming.	
North	Between Sec. 22 & 23. T. 14. N. R. 7. W.	
7.33	Set a post from which	
	Poplar. 36 in diam. bears N 15 E. 18 links north; & a	
	Sugar. 6 " " " " S 23 E. 27 " "	
24.81	To a Brook 5 links wide, corner N. W.	
31.06	To a N Oak. 18 in diam. stands in the vine.	
47.31	Set a post for the cor of sec. 14. 15 22 & 23 from which	
	Sugar. 15 in diam. bears S 50 E. 12 links north; & a	
	S 18 " " " " N 77 W. 23 " "	
	Land good for farming; Timber Poplar. Walnut.	
	Sugar & S. W. Spruce.	



J. N. 14. N.R. No 77 2nd Mm. Ind:

297

West  
25.50 On a Random line between Sec 14 & 23. J. 14. N.R. 77.  
To a Brook. 10 links m. a. Corner N.W.  
40.00 Set a temp. post in support  
49.50 To Raccoon Creek. 150 links m. a. Corner S.  
Passing in the creek.  
55.00 Left the creek to the West  
80.80 Entered the N.E. line at the post on of sec 14, 15, 22 & 23.  
Ground hilly and poor timber N Oak, Hickory & Birch.  
No Gasoline.

East  
40.40 On the line between Sec 14 & 23. J. 14. N.R. 77.  
Set the temp. post in support at the corner on the line  
from which, Logwood 6 in diam. trees. N 87 W. 22 links m. a.  
up a " Hickory 6 " " " S 25 E. 15 " "  
80.80 To the post on of sec 14, 15, 23 & 24.

South  
21.30 Between Sec 14 & 15 J. 14. N.R. 77.  
To a Honey Locust. 15 in diam. in the line.  
25.00 To Raccoon Creek. 150 links m. a. Corner S.W. Naps.  
31.07 To a Brook. 20 links m. a. Corner S.W.  
40.00 Set a post from which,  
Buckeye 12 in diam. trees N 8 E. 29 links m. a.; or,  
Hickory 5 " " " South 8 " "  
43.20 To a Pond. 50 links m. a. Corner S.W.  
62.75 To a Sugar. 12 in diam. in the line.  
80.00 Set a post for the corner of sec 10, 11, 14 & 15 from which,  
N Walnut 8 in diam. trees N 34 W. 13 links m. a.; or,  
Hogback. 5 " " " " 12 " "  
Ground hard and rich. Timber Hickory, Walnut, & Buckeye  
Sugar &c.

West  
19.96 On a Random line between Sec 11 & 14. J. 14. N.R. 77.  
Cherry 16 in diam. in the line.  
40.00 Set a temp. post in support.  
58.30 To a Brook. 10 links m. a. Corner S.W.  
80.40 Entered the N.E. line 45 links South of the post corner of sec

T. N. 14. N.R. No. 77 2<sup>nd</sup> Mer. Aud.

10.11.14 &amp; 15

Good land and rich farming land, Timber Sugar,  
Buckeye and Beech, W. Spruce & Pines.

East On the line between Sec. 11 & 14 T. 14. N.R. 77.  
40.20 Set the trap 7<sup>th</sup> in support at the ar. dish in the line from  
which is Sugar 5 in diam. trees. N 60 W. 14. 1/2 mile north;  
under N Walnut - " " " N 66 E. 16 " "  
80.40 To the post on of Sec. 10. 11. 14 & 15.

North Between Sec. 10 & 11. T. 14. N.R. 77.  
22.00 To a Beech. 24 in diam. in the line.  
40.00 Set a trap 7<sup>th</sup> in support from which is  
Sawwood 4 in diam. trees. N 8 E. 5 1/2 miles north; &  
Logwood 3 " " N 50 W. 4 " "  
61.65 To a Sugar. 4 in diam. in the line.  
80.00 Set a post for the cor. of Sec. 2, 3, 10, & 11 from which  
Poplar, 20 in diam. trees. N 25 W. 12 1/2 miles north; &  
Beech. 8 " " " N 8 E. 20 " "  
Good land and good for farming, Timber Beech,  
Sugar. Poplar & Hickory. W. Spruce.

West On a Random line between Sec. 2 & 11. T. 14. N.R. 77.  
40.00 Set a trap 7<sup>th</sup> in support  
60.53 To a spring 3 miles north, become S. E.  
81.00 In the cut the N 13 line. at the post on of Sec. 2, 3, 10 & 11.  
Good hillby and poor. Timber Beech, W. Oak, Poplar,  
W. Spruce & Pines.

East On the line between Sec. 2 & 11. T. 14. N.R. 77.  
40.50 Set the trap 7<sup>th</sup> in support at the ar. dish in the line from  
which, Beech. 19 in diam. trees. N 78 E. 13 1/2 miles north; &  
and a Sugar. 4 " " " N 76 W. 15 " "  
81.00 To the post on of Sec. 1, 2, 11 & 12.

North Between Sec. 2 & 3. T. 14. N.R. 77.

17.90 To a P. Oak. 30 in diam. in the line.  
 40.00 Set a 1/2 report from whike,  
 Sugar. 12 in diam. from North 25 miles north of  
 Beach. 24 " " " 40 W 23 " "  
 57.07 To an Oak. 18 in diam. in the line.  
 83.44 Intersect the North Branch at the foot of sec. 34 & 35.  
 T. 15 N. R. 7 W. made marked for sec. 213.  
 Land here and good for farming. Timber Oak,  
 Poplar, White, Sugar. Oak & 119. Spec.  
 September 27. 1819.

North Between Sec. 33 & 34 T. 14 N. R. 7 W. N. 8° 36'  
 1.50 To a Brook. 15 miles from N.  
 40.00 Set a 1/2 report from whike,  
 Beach. 12 in diam. from S 58 E 34 miles north of  
 N Oak. 8 " " " North 8 " "  
 80.00 Set apart for the crop of sec. 27, 28, 33 & 34 from whike,  
 Beach. 9 in diam. from N 17 E 13 miles north of  
 N Oak. 27 " " " N 80 W 38 " "  
 Land middling good and meadow good for farming  
 Timber Oak, Birch & Sugar &c.

East On a Run-rum line between Sec. 27 & 34 T. 14 N. R. 7 W.  
 40.00 Set a temporary 1/2 report.  
 78.00 Intersect the N 13 line. 100 miles South of the foot of sec.  
 26, 27, 34 & 35.  
 Land here and middling good for farming; Timber  
 Oak, Birch, White & Oak.

Jan. 7 1816.

North Between Sec. 27 & 28. T. 14 N. R. 7 W.  
 12.00 To a Brook 8 miles from N.  
 40.00 Set a 1/2 report from whike,  
 N Oak. 11 in diam. from South 13 W 12 miles from  
 N. 8 " " " N 12 E 13 " "  
 64.00 To a small town from N.



J. N. H. R. N. 777 2<sup>nd</sup> M. Ind.

80.00	Set a post for the en of sec. 21, 22, 27, & 28 from which Beck 10 in diam: trees. N 59 E. 8 links each, &c. Do. 18 " " " N 47 W. 21 " " Sands broken Timber Beck, Sugar &c.
East	On a Roman line between Sec. 22 & 27 J. N. H. R. 777.
40.00	Set a temp. 7/4 up post.
79.42	Enter east the N 53 line of links North of the first en of sec. 22, 23, 26, & 27. Sands broken and good soil: Timber Beck, Sugar, & Poplar.
West	Cut the line between Sec. 22 & 27 J. N. H. R. 777.
39.71	Set the temp. 7/4 up post at the ar dish on the line from which Beck 9 in diam: trees. N 45 E. 23 links each made Sugar. 20 " " N 46 E. 34 " "
79.42	To the post en of sec. 21, 22, 27, & 28.
North	Return Sec. 21 & 22 J. N. H. R. 777.
40.00	Set a 7/4 up post from which Cottonwood 27 in diam: trees. N 50 E. 22 links each Maple. 10 " " " N 81 W. 10 " "
45.00	Traverse 150 links W. & across W.
56.00	" " Do. 150 " " " " " " " " " " " "
73.00	" " Do. 150 " " " " " " " " " " " "
80.00	Set a post for the en of sec. 15, 16, 21, & 22 from which Hackberry 9 in diam: trees. N 44 E. 31 links each: &c. Do. 9 " " " " " " " " " " " " Sands level and rolling in front. rich soil. Timber Beck, Sugar, Oak, Hickory &c.
East	Return Sec. 15 & 22 J. N. H. R. 777
13.97	Enter east the Indian Point and set a post for the en. of sec. 15 & 22 from which Beck 12 in diam: trees. N 54 W. 23 links each La. Hickory 10 " " " " " " " " " " " "

T. N. 14. N. R. N. 77 2nd Mer. Ind.

301

Land rich bottom.

West	Quad Boundary line between Sec. 15 & 22 T. 14 N. R. 77 W.
40.00	Set a temporary survey post
50.50	To Racoon Creek 150 yards wide corner NW.
55.50	" Do. Do. 150 " " " SW.
61.50	" Do. " 150 " " " SE.
66.50	True Boundary 60 yards South of the post on of sec. 15 & 22 Land here and good for farming Timber Blackberry Walnut, Buckeye &c. N. of Pawpaw. & Spruce
West	On the true line between Sec. 15 & 22 T. 14 N. R. 77 W.
(40.237)	Set the temporary survey post at the ar. with on the true line from which a. 12 in dist. from S 67 N. 40 miles north, &c. Do. 10 " " " S 8 E 26 " "
80.47	To the true cor.
North	Between Sec. 15 & 16 T. 14 N. R. 77 W.
10.20	Enter out the Indian Boundary and set a post for the cor of Sec. 15 & 16 from which a. Beck. 14 in dist. from N 9 E. 3 miles north, &c. Wicks 8 " " " S 10 E. 26 " "
	Land rich bottom
North	Between Sec. 15 & 16 T. 14 N. R. 77 W.
16.06	To a Sugar. 18 in dist. in the line
29.80	Set a post for the cor of from which a. Beck. — in dist. from N 25 E. 26 miles north, &c. Wicks — " " " S 62 N. 26 " "
31.40	To a Sugar. 15 in dist. in the line
49.64	" " Sugar. 15 in dist. corner in the line
69.80	Set a post for the cor of sec. 9 & 10, 15 & 16. from which a. Beck. 24 in dist. from S 48 E. 8 miles north, &c. Do. 10 " " " N 48 N. 23 " "
	Land hilly and poor Timber Walnut, Ash, Black Poplar &c. Open woods



## T. N. 14 N. R. N. 7 &amp; 11 Quad. M. S. 14.

West  
 35.50 On a Random line between Sec. 10 & 15. T. 14. N. R. 7 & 11  
 40.00 To a Brook 10 links mid., corner S. 11.  
 44.50 Set a temporary 1/2 support  
 79.96 To a Brook 5 links mid., corner N. 11.  
 9.90 15 & 16.  
 Sand & gravel good and rich; 2nd & 3rd hilly Timber  
 Sugar, Buckeye, Beech, 119 Spec.

East  
 39.98 On the true line between Sec. 10 & 15 T. 14 N. R. 7 & 11.  
 79.96 Set the temporary 1/2 support at the ar. dist. in the true line from  
 which, Sugar. 12 in diam. from S. 10 E. 11 links dist.; S. 11  
 Beech. 4 1/2 " " N 50 W 13 1/2 "  
 To the post on of sec. 10. 11. 14 & 15.

North  
 22.82 Between Sec. 9 & 10. T. 14 N. R. 7 & 11.  
 40.00 To a Hickory 21 in diam. in the line.  
 60.10 Set a 1/2 support from which,  
 Hickory 24 in diam. from. N 86 W 3 links dist.; S. 11  
 Beech. 9 1/2 " " S 86 E 10 1/2 "  
 80.00 To a Hickory 24 in diam. in the line  
 Set a post for the corner of sec. 3. 4. 9 & 10 from which,  
 Beech. 12 in diam. from. N 60 E. 23 links dist.; S. 11  
 No. 6 " " S 11 W 11 "  
 Sand & gravel good for farming Timber Poplar, ash,  
 Beech, Sugar, &c. 119 Spec.

West  
 40.00 On a Random line between Sec. 3 & 10. T. 14 N. R. 7 & 11  
 45.52 Set a temporary 1/2 support  
 79.90 To a Brook. 5 links mid., corner S. 11.  
 Set the true line  
 Sand good for farming; Timber Beech, Sugar, & Poplar,  
 119 Spec.

East On the true line between Sec. 3 & 10 T. 14 N. R. 7 & 11.

## T. N. 14. N. R. N. 7. W. D. A. M. S. S. S. S.

- 39.95 Set the trap 7 ft. up at the end of the line from  
whichever, Height 21 in dia. line. N 73 W. 10 links out;  
under Bush 15 " " " N 74 E. 5 " "
- 79.90 To the first end of line 2, 3, 10 & 11.

- North Between S. 3 & 4. T. 14. N. R. 7 W.
- 24.60 To an ash 18 in dia. in the line.
- 40.00 Set a trap up from whichever  
Sugar. Cui dia. line. N 35 E. 16 links out; va  
Bush. 9 " " " N 1 E. 34 " "
- 54.50 To a Bush 8 links out, corner N. W.
- 58.50 To an ash 20 in dia. stand in the line.
- 78.30 To a Bush 10 links out, corner W.
- 82.48 Enter at the North Corner of 16.3 links East of the first end  
of line 33 & 34 T. 15 N. R. 7 W. and set a post for the end  
" 3 & 4 from whichever  
Buckeye 3 in dia. line. S 58 E. 13 links out; va  
Red Bud 6 " " " S 57 W. 8 " "
- Land 10 ft. wide and 2 ft. high; Land good for farming  
in. Timber Hickory, Ash, Sugar, & Poplar, 119 ft. high.
- September 25, 1819

- South On a Random line between S. 32 & 33. T. 14. N. R. 7 W.
- 40.00 Set a trap 7 ft. up at the end. Dec. 30, 1815.
- 60.00 To a Bush 10 links out, corner S. W.
- 80.18 Enter at the South Corner of 9 links West of the first end of  
line 32 & 33.  
Land good for farming. Timber Bush, Oak & Sugar,

- North On a Random line between S. 32 & 33. T. 14. N. R. 7 W.
- 40.09 Set the trap 7 ft. up at the end of the line from  
whichever, Height 10 in dia. line. S 4 E. 18 links out;  
under a " " " " N 9 W. 38 " "
- 80.15 To the first end of line 28 & 29, 32 & 33

- West On a Random line between S. 28 & 33. T. 14. N. R. 7 W.

## T. No 14. N.R. No 777 Quad. Min. Ind.

40.00 Set a  $\frac{1}{2}$  sec temp. post.  
 59.00 To a Brook. 7 m. m. m., corner N.W.  
 78.24 Into salt the N.B. line 30 m. South of the post on of sec.  
 28, 29, 32 & 33.  
 Land uneven or rolling; Timber Oak, Birch, Sugar  
 Poplar; making good for farming.

East On the line between Sec 28 & 33. T. 14. N.R. 777  
 39.12 Set the temp.  $\frac{1}{2}$  sec post at the ar. dish on the line.  
 from which N. Oct. 24 in air. temp. N 67. 7 m. m. m.  
 under Sugar. 11 " " " 96. 21 " "  
 78.24 To the post on of sec. 27, 28, 33 & 34.

North Between Sec 28 & 29. T. 14. N.R. 777. N. 6° 30'  
 21.00 To a Brook. 10 m. m. m., corner S.W.  
 40.00 Set a  $\frac{1}{2}$  sec post from which  
 blackberry 10 in air. temp. 92.2 E. 43 m. m. m.; 94  
 93. Oct. 12 " " " 95.1 E. 42 " "  
 Post stands in a creek. 80 m. m. m., corner S.W.  
 60.50 To a Brook in the creek  
 80.00 Set a post for the cor. of sec. 20, 21, 28 & 29 from which  
 blackberry 10 in air. temp. N 86 E. 14 m. m. m.; 95  
 blackberry 36 " " 95. 25 " "  
 Land level and good for farming.

East On a Random line between Sec 21 & 28. T. 14. N.R. 777. 15° 50'  
 28.00 To a creek. 80 m. m. m., corner S.W.  
 40.00 Set a temp.  $\frac{1}{2}$  sec post  
 78.30 Into salt the N.B. line 48 m. North of the post on of sec.  
 21, 22, 27 & 28.  
 Land level and good for farming.

West On the line between Sec 21 & 28. T. 14. N.R. 777.  
 39.15 Set the temp.  $\frac{1}{2}$  sec post at the ar. dish on the line  
 from which Spruce 6 in air. temp. 95.6 E. 25 m. m. m.  
 under Blackberry 18 " " " 97. 28 " "



T. N. 14. N.R. N. 7 W 2nd Mer. Quad.

78.30	To the post cr of Sec. 20. 21. 28 & 29.
North	Return Sec. 20 & 21. T. 14. N.R. 7 W. Sec. 31. 1815.
40.00	Set a 7th support from which Beach 8 in dist. from N 53 E. 12 miles dist; Pa, Heater 20 " " " S 53 W. 22 " "
80.00	Set a post for the cor of sec. 17. 18. 19 & 20 from which Beach 10 in dist. from N 40 W 31 miles dist; Pa, No. 18 " " " S 13 W. 23 " "
	Land a little rolling
North	Return Sec. 20 & 21. T. 14. N.R. 7 W. v. 6 & 30'
40.00	Set a 7th support from which Sec. 31. 1815.
	Beach 34 in dist. from S 38 E. 9 miles dist; Pa, Enger. 20 " " " S 38 W. 6 " "
80.00	Set a post for the cor of sec. 16. 17. 20 & 21 from which Beach 10 in dist. from S 11 W. 24 miles dist; Pa, No. 10 " " " N 43 E. 7 " "
	Land 1/2 mile a little rolling first rate land; East 1/2 mile broken 2nd rate.
West	On a line between Sec. 16 & 21. T. 14. N.R. 7 W.
40.00	Set a support 7th support
78.38	From the N 53 line 40 miles South of the post cr of sec. No. 17. 21 & 21. Land East 1/2 bottom; West 1/2 low hills; Land mid. along good for farming. Timber Beach, Sugar & Poplar
West	On the line between Sec. 16 & 21. T. 14. N.R. 7 W.
39.19	Set the support 7th support at the cor dist on the line from which Beach 8 in dist. from N 75 W. 12 miles dist; Pa, No. 9 " " " S 25 E. 11 " "
78.38	To the post cr of sec. 16. 17. 21 & 21.
North	Return Sec. 16 & 17. T. 14. N.R. 7 W. v. 6 & 30'
40.00	Set a 7th support from which

T. No 14. N. R. No 77 2<sup>nd</sup> Mn. Ind.

Walk 6 in dia: beam. N 58 W 21 links each; &  
 1/2 Beak 8 " " " S 34 W 37 " "  
 68.00 Intersub the Old Indian boundary line and set a post  
 from the cn of lat. 16 & 17 from which  
 Walk 118 in dia: beam. S 63 W 23 links each; &  
 1/2 Beak. 24 " " " S 35 W 35 " "  
 Lande broken and 2<sup>nd</sup> gate. Timber Beak Hearty &  
 North Return Lat 16 & 17 T. 14. N. R. 77.  
 12.00 Set a post for the cn of lat. 8. 9. 16 & 17 from which  
 Walk 15 in dia: beam. West - the each; &  
 1/2 Beak. 8 " " " S 58 W 20 " "  
 Lande broken and good for farming. Timber Beak,  
 Poplar, Oak.

West Open Random line between Lat. 9 & 16. T. 14. N. R. 77.  
 40.00 Set a temp<sup>l</sup> in 2<sup>nd</sup> post.  
 61.00 To a Brook. 10 links wide, corner N. W.  
 79.32 Subcut the N 53 line at the post cn of lat. 8. 9. 16 & 17.  
 Lande 1/2<sup>nd</sup> mile work 2<sup>nd</sup> & 3<sup>rd</sup> hillier poor land inclin-  
 ed to be mt. On the top of Ridge Timber Beak, Hickory  
 Poplar, Walnut, &c.

West Cut the line between Lat 9. & 16. T. 14. N. R. 77.  
 39.66 Set the temp<sup>l</sup> in 2<sup>nd</sup> post at the ar arch in the line.  
 from which Edge 8 in dia: beam. S 10 E. 10 links each;  
 and an arch. 5 " " " S 53 W 12 " "  
 79.32 To the post cn of lat. 8. 9. 16 & 17.

North Return Lat 8 & 9 T. 14. N. R. 77.  
 17.50 To a Brook. 12 links wide, corner S. W.  
 18.50 " Sugar. 12 in dia: in the line.  
 40.00 Set a 1/2<sup>nd</sup> post from which  
 Beak. 5 in dia: beam N 4 E. 20 links each; &  
 Ho. 6 " " " S 18 W 14 " "  
 61.00 To a sugar. 8 in dia: in the line.  
 80.00 Set a post for the cn of lat. 4. 5. 8 & 9 from which

307

T. N. 14. N.R. N. 7 W 2<sup>nd</sup> Mer. Ind.

Beak 9 in dia. hms. S30 W 19 lms. sub; fa,  
 Dg. 12, " " N28 E. 16 "  
 Land set 1/2 mile from 2<sup>nd</sup> 1/2 and and good for  
 farming; Timber Oak, Apple, Ash, Sugar, V. s.  
 W 9 Spruce.

West  
 40.00 On a K road line between Sec. 4 & 9 T. 14. N.R. 7 W  
 Set a trap 1/2 m. apart.  
 79.56. Enter 2nd the N 73 line. 12 lms. North of the first cr of  
 Sec. 4 5. 8 & 9.  
 Land good for farming; Timber Spruce, Ash, Elm, Pop.  
 lar. V. c. Spruce woods.

West  
 39.78 On the line between Sec. 4 & 9 T. 14. N.R. 7 W.  
 Set the trap 1/2 m. apart at the cr. in the line for the  
 cr of 1/2 m. apart which is  
 Beak 15 in dia. hms. S5 W. 8 lms. sub; fa,  
 Elm. 12 " " N28 W. 5 "  
 79.56. To the first cr of sec. 4, 5, 8 & 9.

North  
 14.20 Between Sec. 4 & 5. T. 14. N.R. 7 W.  
 To a Brook. 8 lms. mid, corner W.  
 19.50 To a W Oak. 10 in dia. in the hms.  
 40.00 Set a 1/2 m. apart from which  
 Beak — in dia. hms. S15 W. 32 lms. sub; fa,  
 Sugar. — " " " N82 E. 23 "  
 41.40 To a Brook. 5 lms. mid. Corner —  
 55.00 To a Brook 8 lms. mid, corner West. Land good; Race-  
 corn bottom.  
 67.50 To a Brook. 8 lms. mid, corner W.  
 82.43. Enter 2nd the North Boundary 35 lms. East of the first  
 cr of sec. 32 & 33. T. 15 N.R. 7 W. and set a post for the  
 " " " 4 & 5 from which is  
 Beak 36 in dia. hms. S25 E. 23 lms. sub; fa,  
 Buckeye 9 " " N42 W. 19 "  
 Land 53 ch? hilly 25 ch? bottom and.



## T. N. 14. N.R. N. 7 W 2nd Mer. Sec.:

Lumber Creek &amp; Walnut. Sept 24. 1819.

North Between Sec. 31 & 32 T. 14. N.R. 7 W. V. 6° 00'  
 28.00 Top Brook 10 links max, corner N.W.  
 40.00 Set a 7/8 sap post from which  
 Sugar. 12 in dia: bears. N 71 E. 9 links each; Pa  
 7 Bush 24 " " S 51 W. 32 " "  
 80.00 Set a post for the cor of sec 29, 30, 31 & 32 from which  
 Walnut 36 in dia: bears. N 14 W. 8 links each; Pa  
 Hickory 12 " " S 64 E. 12 " "  
 Sugar last 1/2 mile R. rate; Lumber Walnut, Hackberry &  
 Sugar. Is.

East Between Sec. 27 & 28 T. 14. N.R. 7 W. V. 6° 00'  
 40.00 Set a 7/8 sap post from which  
 Sugar. 12 in dia: bears. N 83 W. 13 links each; Pa  
 Poplar. 20 " " S 31 E. 15 " "  
 80.00 Set a post for the cor of sec 28, 29, 32 & 33 from which  
 7 Bush 8 in dia: bears N 49 E. 18 links each; Pa  
 Sugar. 24 " " S 24 E. 37 " "  
 See as rolling and R. rate low.

West Between Sec 30 & 31 T. 14. N.R. 7 W. V. 5° 50'  
 40.00 Set a 7/8 sap post from which  
 Pawpaw. 4 in dia: bears. N 86 W. 37 links each; Pa  
 Buckeye 12 " " S 48 E. 15 " "  
 87.80 Enter out the West Boundary 16 links South of the post.  
 cor of sec 36 & 25 T. 14. N.R. 8 W and set a post for the  
 " " " 30 & 31 from which  
 Cottonwood 36 in dia: bears. N 10 E. 28 links each; Pa  
 Elm. 12 " " S 17 W. 30 " "  
 See as R. rate Lumber Walnut Is.

South On a Random line between Sec 29 & 30 T. 14. N.R. 7 W V. 6° 30'  
 40.00 Set a temp. 7/8 sap post.  
 48.00 To a creek 80 links max, corner S.W.

T. N. 14 N. R. N. 7 W. 2<sup>nd</sup> Mm. S. 40.

80.56	Set out the E & W line at the post on of sec. 29. 30. 31. 1930 Land R. rate. Timber Walnut & S.
North 40.03	Set the line between Sec. 29. 30. T. 14 N. R. 7 W. Set the temp. 7 <sup>th</sup> post at the cross on the line from whiskey Row pass 3 in dist. from. 551 W. 6 links each; 24 Do. 4 " " " 163 E 13 " "
80.56.	To the post on of sec. 19. 20. 29. 30.
West 40.00	Return Sec. 20. 29. T. 14. N. R. 7 W. Set a 7 <sup>th</sup> in post from whiskey Walnut 6 in dist. from 165 W. 22 links each; 24 Ryekey v. 3 " " 19 E. 15 "
80.00	Set a post for the corner of sec. 19. 20. 29. 30 from whiskey Sugar. 30 in dist. from. 111 W. 3 links each; 24 Walnut 4 " " " 31 W. 9 " " Land broken and R. rate. for farming; Timber Walnut & Sugar.
West 38.50 40.00	Return Sec. 19. 30 T. 14. N. R. 7 W. N. 5. 50. Toad Brook 10 links mid, corner S. Set a 7 <sup>th</sup> east post from whiskey Beak. 12 in dist. from. 152 W. 27 links each; 24 Do. 10 " " " 49 E. 25 " "
8.810	Set out the West Boundary 10 links West of the post on of sec. 24. 25 T. 14. N. R. 8 W. and set a post for the corner " " 19. 30 from whiskey Beak. 27 in dist. from. 121 W. 21 links each; 24 Do 18 " " " South 26 " " Land broken and 2 <sup>nd</sup> rate land; Timber Beak & S.
South 6.00 40.00 79.83	On a Random line between Sec. 19. 20 T. 14. N. R. 7 W. N. 5. 30 Toad Brook 10 links mid, corner S. E. Set a 7 <sup>th</sup> sec temp. 7 <sup>th</sup> post Set out the E & W line 3 links West of the post on of sec. 19. 20. 29. 30 Land broken and good 2 <sup>nd</sup> rate for farming.

T. N. 14. N.R. N. 7 W 2<sup>nd</sup> Mer. Ind.

North  
39.91 Between Sec. 19 & 20. On a <sup>line</sup> ~~road~~ line. T. 14. N. 7 W. 2<sup>nd</sup> Mer.  
Set the trap. 7 feet at the ar ditch on the line from which  
Heik 10 in air. beam. N 81 E. 1 mile ditch: 72  
Beek 10 " " " S 81 E. 10 " "  
79.83 To the first cn of sec. 17, 18, 19 & 20.

West  
21.50 Between Sec. 17, 18 & 19 T. 14. N. R. 7 W. N. 6° 00'  
To a Brook 10 units, near, corner S. W.  
40.00 Set a 7/8 support from which  
Beek. 8 in air. beam. N 53 E. 10 units ditch: 72  
Heik 20 " " " S 53 W. 22 " "  
80.00 Set a post for the cn of sec. 17, 18, 19 & 20 from which  
Beek 10 in air. beam. N 10 W 31 units ditch: 72  
Lp. 18 " " " S 13 W. 23 " "  
Land a little broken and good for farming.  
Timber Beek & Oak. &c.

West  
40.00 Between Sec. 18 & 19 T. 14. N. R. 8 W. N. 5° 50'  
Set a 7/8 support from which  
Beek. 10 in air. beam. N 34 E. 35 units ditch: 72  
Lp. 10 " " " S 37 W. 27 " "  
86.85 Enter lat the West 4<sup>th</sup> corner of 40 units South of the first  
cn of sec. 13 & 24 T. 14. N. R. 8 W. and set a post for the cn  
" " 18 & 19 from which  
Sugar. 10 in air. beam. S 85 W. 17 units ditch: 72  
W. Oak. 15 " " " N 51 E. 14 " "  
Land 2<sup>nd</sup> rate.

North  
40.00 Between Sec. 17 & 18 T. 14. N. R. 7 W. Jan. 7<sup>th</sup> 1816  
Set a 7/8 support from which  
Sugar. 10 in air. beam. S 2 E. 11 units ditch: 72  
W. Oak. 36 " " " N 45 W. 16 " "  
44.00 To a Brook 10 units, near, corner N. E.  
80.00 Set a post for the cn of sec. 7, 8, 17, & 18 from which  
Sycamore. 6 in air. beam. S 21 W. 2 units ditch: 72  
W. Walnut 18 " " " N 14 W. 34 " "



T. N. 14. N.R. N. of 77 2nd Mer. Ind. a.

Land broken and 2<sup>nd</sup> rate. Timber Beech Sugar Hlat.

East Between Sec. 8 & 17. T. 14. N.R. 77N.  
 32.00 Look Creek. 10 units near, corner N.W.  
 40.00 Set a pt. apart from which  
 N. Oak. 12 in near line. S 50 E. 21 units near, to  
 Beech. 8 " " " N 97 W. 19 " "  
 68.22 Set a pt. at the corner of 7 line. and set a pt. for the corner of 17  
 Sec. 8 & 17 from which  
 Sugar 6 in near line. S 45 E. 15 units near, to  
 Beech. 5 " " " N 28 W. 24 " "  
 Land hilly and 2<sup>nd</sup> rate. Timber Beech, Sugar, &c.

West On a Run line between Sec. 8 & 17. T. 14. N.R. 77N.  
 16.00 Set a pt. at the Old Indian corner. 94 units South E. of  
 Pt. on line between Sec. 8 & 17.

East On the line between Sec. 8 & 17. T. 14. N.R. 77N.  
 Land broken and 2<sup>nd</sup> rate; Timber Beech, Apple & Sugar,  
 &c.

North Between Sec. 7 & 8. T. 14. N.R. 77N. T. 15 30'  
 11.00 Look Creek. 20 units near, corner N.  
 40.00 Set a pt. apart from which  
 Elm. 3 in near line. S 88 E. 10 units near, to  
 Apple. 36 " " " S 76 W. 30 " "  
 46.46 Set a pt. at the Old Indian corner. 1 and set a pt. for the  
 corner of Sec. 7 & 8 from which  
 Hornbeam. 4 in near line. N 19 W. 14 units near, to  
 Beech. 6 " " " S 26 W. 21 " "  
 Land rolling and 2<sup>nd</sup> rate.

North Between Sec. 7 & 8. T. 14. N.R. 77N.  
 8.50 Look Creek. 5 units corner N.W.  
 14.36 Look Creek 8 in near, on the line.  
 33.54 Set a pt. for the corner of 5 & 6 of 78 from which  
 Hackberry - line N 65 W. 19 units near, to

J. M. M. R. N. 7W 2nd Mer. Ind.

Reck - in air-burn. East 20 links each;  
Land hilly and 2<sup>nd</sup> rate; Lumber Plant. Buck & Sugar.  
Wg Spin. Sept. 23<sup>rd</sup> 1819.

West	Between Sal 1877 J. 14. N. R. 7W. V. 550
25.00	In small brook corner N.
40.00	Set a pt. report from which;
	Reck. 10 in air-burn. Set E. 6 links each; 72
	Do. 10 " " " N 35 W. 21 " "
87.14	Intersect the West Borne at 67 links North of the post on off
	Sal. 12 & 13. J. 14. N. R. 8W and set apart for the cut "
	" 7 & 18 from which;
	Reck. 20 in air-burn. N 47 E. 26 links each; 72
	Do. 20 " " " S 51 W. 32 " "
	Land hilly and 2 <sup>nd</sup> rate. Good for farming.
West	On a Random line between Sal 578 J. 14. N. R. 7W.
40.00	Set a trap for report
80.25.	Intersect the N 13 line 258 links South of the post on of Sal
	5. 6. 7 & 8.
East	On a Random line between Sal 578 J. 14. N. R. 7W.
40.12	Set the trap for report at the air-burn on the line from
	which; Reck 20 in air-burn. S 32 E. 49 links each;
	under Do. 8 " " " N 12 E. 12 " "
80.25.	To the post on off Sal 4. 5, 8 & 9.
	Land broken. Lumber Plant, Sugar, &c. Wg Spin.
West	Between Sal 6. 7. J. 14. N. R. 7W.
1.00	Crossed Racoon Creek. 80 links in corner NW
9.53	To the bottomwood 30 in air-burn in the line.
40.00	Set a pt. report from which;
	N 14 West 8 in air-burn. N 10 W. 12 links each 72
	Do. 6 " " " S 7 E. 30 " "
45.00	Intersect the Old Indian Road at and set apart for
	the cut off from Sal 6. 7 from which;

T. N. 14. N. R. N. 7 N. D. M. Ind.

313

Sugar 12 in dia: tree. 556 N. 9 units mch: Pa,  
 Walnut 64 " " 567 E. 8 " "  
 Sand white Walnut, Sugar, & Blackberry 49. 118.  
 Paw paw du de spier. 1/2. Red bottom  
 Remainder of this line not found in either of the sub-di-  
 vision books. Sept. 26. 1819.

North Bottom Sur. 576 T. 14. N. R. 7 N.  
 10.00 To Accom. Corbets in. Lorne J. W.  
 18.23 To a Walnut 30 in dia: in the line.  
 40.00 Set a pin in post from which  
 Bush. 24 in dia: tree. 530 E. 24 units mch: Pa,  
 Walnut 20 " " " 552 N. 35 " "  
 59.60 To a Hickory 8 in dia: in the line.  
 82.42 Set out the N. Borne at 196 miles East of the post on of  
 Sur. 31530 T. 15 N. R. 7 N. and set a post for the cross  
 Sur. 576 from which  
 Hornbeam 4 in dia: tree. T. 41 E. 15 units mch: Pa,  
 Do. 3 " " " 568 E. 10 " "  
 Spruce Poplar, Bush, Walnut, W. & Chawpen & Spier.  
 The part of this Township lying in Harrison's Purchase  
 was surveyed by William Polke. Esq.  
 The part South of the old Indian Borne at was  
 surveyed by William Harris Esq.

I certify that the foregoing Transcript ~~was~~ surveyed  
 of the field notes of Township N. 14. North of Range E.  
 N. 7 West of the 3rd Principal Meridian Indiana,  
 has been compared with the original notes in this  
 Office and found to be correct.

Surveyor General's Office.

Cincinnati, Aug. 4. 1841

J. Q. S. Kaine  
 Sur. Genl.

70

1020-7

Comp.



J. 14. MR. 1077 2<sup>nd</sup> 11<sup>th</sup>.

Next Cut the two lines between Dec. 27. & 34. J. 14. MR. 777  
 39.00 Set the temp 1/4 cup at at the ar cut in the two lines  
 from which, New 10 12 in dist. line. N 34 6.18 the dist  
 under. 2 Do. 10 " " 96 77.26. "  
 78.00 The, ca of cal 27.2833 & 34  
 This line was omitted in its proper place